

Контейнеры Multi-Safe

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: syd@nt-rt.ru || сайт: <https://sarstedt.nt-rt.ru/>



Disposal container, Multi-Safe twin plus REC, 1,500 ml, biohazard labelling

77.3884.315

Disposal container, Multi-Safe twin plus REC, 1,500 ml, grey, with plastic label, label/print: yellow/red, biohazard labelling, material: recycled PP, application e.g.: disposal of pointed and sharp objects, opening: oval, height: 125 mm, lid (LxW): 179 x 176 mm, cap: red, TRBA 250, UN 3291, DIN EN ISO 23907, 94 piece(s)/carton

Satisfies the requirement: TRBA 250, UN 3291, DIN EN ISO 23907
Max. volume: 1500 ml



Disposal container, Multi-Safe twin plus, 3,000 ml, biohazard labelling

77.3884.130

Disposal container, Multi-Safe twin plus, 3,000 ml, yellow, with plastic label, label/print: yellow/red, biohazard labelling, material: PP, application e.g.: disposal of pointed and sharp objects, opening: oval, height: 233 mm, lid (LxW): 179 x 176 mm, cap: red, TRBA 250, UN 3291, DIN EN ISO 23907, 62 piece(s)/carton

Satisfies the requirement: TRBA 250, UN 3291, DIN EN ISO 23907
Max. volume: 3000 ml



Disposal container, Multi-Safe twin plus, 2,000 ml

77.3884.020

Disposal container, Multi-Safe twin plus, 2,000 ml, yellow, with plastic label, label/print: yellow/red, material: PP, application e.g.: disposal of pointed and sharp objects, opening: oval, height: 161 mm, lid (LxW): 179 x 176 mm, cap: red, TRBA 250, UN 3291, DIN EN ISO 23907, 80 piece(s)/carton

Satisfies the requirement: TRBA 250, UN 3291, DIN EN ISO 23907
Max. volume: 2000 ml



Disposal container, Multi-Safe vario, 2,000 ml

77.3893.020

Disposal container, Multi-Safe vario, 2,000 ml, yellow, square, with plastic label, label/print: yellow/red, material: PP, application e.g.: disposal of pointed and sharp objects, opening: oval, height: 140 mm, cap: red, TRBA 250, UN 3291, DIN EN ISO 23907, 50 piece(s)/carton

Satisfies the requirement: TRBA 250, UN 3291, DIN EN ISO 23907
Max. volume: 2000 ml



Disposal container, Multi-Safe sani REC, 200 ml

77.3890.202

Disposal container, Multi-Safe sani REC, 200 ml, grey, material: recycled PP, opening: oval, height: 131 mm, lid (LxW): 75 x 47 mm, cap: red, TRBA 250, UN 3291, DIN EN ISO 23907, 110 piece(s)/carton

Satisfies the requirement: TRBA 250, UN 3291, DIN EN ISO 23907
Max. volume: 200 ml



Disposal container, Multi-Safe twin plus REC, 5,000 ml, biohazard labelling

77.3884.350

Disposal container, Multi-Safe twin plus REC, 5,000 ml, grey, with plastic label, label/print: yellow/red, biohazard labelling, material: recycled PP, application e.g.: disposal of pointed and sharp objects, opening: oval, height: 379 mm, lid (LxW): 179 x 176 mm, cap: red, TRBA 250, UN 3291, DIN EN ISO 23907, 34 piece(s)/carton

Satisfies the requirement: **TRBA 250, UN 3291, DIN EN ISO 23907**
Max. volume: **5000 ml**



Disposal container, Multi-Safe euroMatic®, 4,000 ml, biohazard labelling

77.3897.240

Disposal container, Multi-Safe euroMatic®, 4,000 ml, yellow, with plastic label, label/print: yellow/red, biohazard labelling, material: PP, opening: oval, height: 245 mm, flat cap, lid (LxW): 164 x 164 mm, cap: red, TRBA 250, UN 3291, DIN EN ISO 23907, 50 piece(s)/carton

Satisfies the requirement: **TRBA 250, UN 3291, DIN EN ISO 23907**
Max. volume: **4000 ml**



Disposal container, Multi-Safe twin plus, 1,500 ml, biohazard labelling

77.3884.115

Disposal container, Multi-Safe twin plus, 1,500 ml, yellow, with plastic label, label/print: yellow/red, biohazard labelling, material: PP, application e.g.: disposal of pointed and sharp objects, opening: oval, height: 125 mm, lid (LxW): 179 x 176 mm, cap: red, TRBA 250, UN 3291, DIN EN ISO 23907, 94 piece(s)/carton

Satisfies the requirement: **TRBA 250, UN 3291, DIN EN ISO 23907**
Max. volume: **1500 ml**



Disposal container, Multi-Safe twin plus, 500 ml

77.3884.005

Disposal container, Multi-Safe twin plus, 500 ml, yellow, round, with plastic label, label/print: yellow/red, material: PP, application e.g.: disposal of pointed and sharp objects, opening: oval, height: 162 mm, Ø of cap: 89 mm, cap: red, TRBA 250, UN 3291, DIN EN ISO 23907, 126 piece(s)/carton

Satisfies the requirement: **TRBA 250, UN 3291, DIN EN ISO 23907**
Max. volume: **500 ml**



Disposal container, Multi-Safe twin plus REC, 2,500 ml

77.3884.225

Disposal container, Multi-Safe twin plus REC, 2,500 ml, grey, with plastic label, label/print: yellow/red, material: recycled PP, application e.g.: disposal of pointed and sharp objects, opening: oval, height: 197 mm, Ø of cap: 82 mm, cap: red, TRBA 250, UN 3291, DIN EN ISO 23907, 70 piece(s)/carton

Satisfies the requirement: **TRBA 250, UN 3291, DIN EN ISO 23907**
Max. volume: **2500 ml**

**Disposal container, Multi-Safe twin plus REC, 2,000 ml, biohazard labelling****77.3884.320**

Disposal container, Multi-Safe twin plus REC, 2,000 ml, grey, with plastic label, label/print: yellow/red, biohazard labelling, material: recycled PP, application e.g.: disposal of pointed and sharp objects, opening: oval, height: 161 mm, lid (LxW): 179 x 176 mm, cap: red, TRBA 250, UN 3291, DIN EN ISO 23907, 80 piece(s)/carton

Satisfies the requirement: **TRBA 250, UN 3291, DIN EN ISO 23907**
Max. volume: **2000 ml**

**Disposal container, Multi-Safe twin plus, 5,000 ml, biohazard labelling****77.3884.150**

Disposal container, Multi-Safe twin plus, 5,000 ml, yellow, with plastic label, label/print: yellow/red, biohazard labelling, material: PP, application e.g.: disposal of pointed and sharp objects, opening: oval, height: 379 mm, lid (LxW): 179 x 176 mm, cap: red, TRBA 250, UN 3291, DIN EN ISO 23907, 34 piece(s)/carton

Satisfies the requirement: **TRBA 250, UN 3291, DIN EN ISO 23907**
Max. volume: **5000 ml**

**Disposal container, Multi-Safe twin plus, 2,500 ml****77.3884.025**

Disposal container, Multi-Safe twin plus, 2,500 ml, yellow, with plastic label, label/print: yellow/red, material: PP, application e.g.: disposal of pointed and sharp objects, opening: oval, height: 197 mm, lid (LxW): 179 x 176 mm, cap: red, TRBA 250, UN 3291, DIN EN ISO 23907, 70 piece(s)/carton

Satisfies the requirement: **TRBA 250, UN 3291, DIN EN ISO 23907**
Max. volume: **2500 ml**

**Disposal container, Multi-Safe medi, 6 l****77.3898.506**

Disposal container, Multi-Safe medi, 6 l, yellow, round, material: PP, opening: round, height: 195 mm, flat cap, Ø of cap: 230 mm, cap: red, TRBA 250, UN 3291, DIN EN ISO 23907, 21 piece(s)/carton

Satisfies the requirement: **TRBA 250, UN 3291, DIN EN ISO 23907**
Max. volume: **6 l**

**Disposal container, Multi-Safe mini REC, 300 ml****77.3890.203**

Disposal container, Multi-Safe mini REC, 300 ml, grey, material: recycled PP, opening: round, height: 160 mm, lid (LxW): 81 x 45 mm, cap: red, TRBA 250, UN 3291, DIN EN ISO 23907, 135 piece(s)/carton

Satisfies the requirement: **TRBA 250, UN 3291, DIN EN ISO 23907**
Max. volume: **300 ml**

**Disposal container, Multi-Safe twin plus REC, 500 ml****77.3884.205**

Disposal container, Multi-Safe twin plus REC, 500 ml, grey, round, with plastic label, label/print: yellow/red, material: recycled PP, application e.g.: disposal of pointed and sharp objects, opening: oval, height: 162 mm, Ø of cap: 89 mm, cap: red, TRBA 250, UN 3291, DIN EN ISO 23907, 126 piece(s)/carton

Satisfies the requirement: TRBA 250, UN 3291, DIN EN ISO 23907
Max. volume: 500 ml

**Disposal container, Multi-Safe euroMatic®, 3,000 ml, biohazard labelling****77.3897.230**

Disposal container, Multi-Safe euroMatic®, 3,000 ml, yellow, with plastic label, label/print: yellow/red, biohazard labelling, material: PP, opening: oval, height: 185 mm, flat cap, lid (LxW): 164 x 164 mm, cap: red, TRBA 250, UN 3291, DIN EN ISO 23907, 55 piece(s)/carton

Satisfies the requirement: TRBA 250, UN 3291, DIN EN ISO 23907
Max. volume: 3000 ml

**Disposal container, Multi-Safe vario REC, 2,000 ml****77.3893.220**

Disposal container, Multi-Safe vario REC, 2,000 ml, grey, square, with plastic label, label/print: yellow/red, material: recycled PP, application e.g.: disposal of pointed and sharp objects, opening: oval, height: 245 mm, flat cap, Ø of cap: 82 mm, cap: red, TRBA 250, UN 3291, DIN EN ISO 23907, 50 piece(s)/carton

Satisfies the requirement: TRBA 250, UN 3291, DIN EN ISO 23907
Max. volume: 2000 ml

**Disposal container, Multi-Safe twin plus, 2,000 ml, biohazard labelling****77.3884.120**

Disposal container, Multi-Safe twin plus, 2,000 ml, yellow, with plastic label, label/print: yellow/red, biohazard labelling, material: PP, application e.g.: disposal of pointed and sharp objects, opening: oval, height: 161 mm, lid (LxW): 179 x 176 mm, cap: red, TRBA 250, UN 3291, DIN EN ISO 23907, 80 piece(s)/carton

Satisfies the requirement: TRBA 250, UN 3291, DIN EN ISO 23907
Max. volume: 2000 ml

**Disposal container, Multi-Safe vario, 2,000 ml, biohazard labelling** **77.3893.120**

Disposal container, Multi-Safe vario, 2,000 ml, yellow, square, with plastic label, label/print: yellow/red, biohazard labelling, material: PP, application e.g.: disposal of pointed and sharp objects, opening: oval, height: 140 mm, cap: red, TRBA 250, UN 3291, DIN EN ISO 23907, 50 piece(s)/carton

Satisfies the requirement: TRBA 250, UN 3291, DIN EN ISO 23907
Max. volume: 2000 ml

**Disposal container, Multi-Safe twin plus REC, 3,000 ml****77.3884.230**

Disposal container, Multi-Safe twin plus REC, 3,000 ml, grey, with plastic label, label/print: yellow/red, material: recycled PP, application e.g.: disposal of pointed and sharp objects, opening: oval, height: 233 mm, lid (LxW): 179 x 176 mm, cap: red, TRBA 250, UN 3291, DIN EN ISO 23907, 62 piece(s)/carton

Satisfies the requirement: **TRBA 250, UN 3291, DIN EN ISO 23907**
Max. volume: **3000 ml**

**Disposal container, Multi-Safe twin plus REC, 2,500 ml, biohazard labelling****77.3884.325**

Disposal container, Multi-Safe twin plus REC, 2,500 ml, grey, with plastic label, label/print: yellow/red, biohazard labelling, material: recycled PP, application e.g.: disposal of pointed and sharp objects, opening: oval, height: 197 mm, lid (LxW): 179 x 176 mm, cap: red, TRBA 250, UN 3291, DIN EN ISO 23907, 70 piece(s)/carton

Satisfies the requirement: **TRBA 250, UN 3291, DIN EN ISO 23907**
Max. volume: **2500 ml**

**Disposal container, Multi-Safe euroMatic[®], 6,000 ml, biohazard labelling****77.3897.260**

Disposal container, Multi-Safe euroMatic[®], 6,000 ml, yellow, with plastic label, label/print: yellow/red, biohazard labelling, material: PP, opening: oval, height: 330 mm, flat cap, lid (LxW): 164 x 164 mm, cap: red, TRBA 250, UN 3291, DIN EN ISO 23907, 40 piece(s)/carton

Satisfies the requirement: **TRBA 250, UN 3291, DIN EN ISO 23907**
Max. volume: **6000 ml**

**Disposal container, Multi-Safe twin plus, 3,000 ml****77.3884.030**

Disposal container, Multi-Safe twin plus, 3,000 ml, yellow, with plastic label, label/print: yellow/red, material: PP, application e.g.: disposal of pointed and sharp objects, opening: oval, height: 233 mm, lid (LxW): 179 x 176 mm, cap: red, TRBA 250, UN 3291, DIN EN ISO 23907, 62 piece(s)/carton

Satisfies the requirement: **TRBA 250, UN 3291, DIN EN ISO 23907**
Max. volume: **3000 ml**

**Disposal container, Multi-Safe twin plus, 500 ml, biohazard labelling****77.3884.105**

Disposal container, Multi-Safe twin plus, 500 ml, yellow, with plastic label, label/print: yellow/red, biohazard labelling, material: PP, application e.g.: disposal of pointed and sharp objects, opening: oval, height: 162 mm, Ø of cap: 89 mm, cap: red, TRBA 250, UN 3291, DIN EN ISO 23907, 126 piece(s)/carton

Satisfies the requirement: **TRBA 250, UN 3291, DIN EN ISO 23907**
Max. volume: **500 ml**

**Disposal container, Multi-Safe twin plus REC, 1,500 ml****77.3884.215**

Disposal container, Multi-Safe twin plus REC, 1,500 ml, grey, with plastic label, label/print: yellow/red, material: recycled PP, application e.g.: disposal of pointed and sharp objects, opening: oval, lid (LxW): 179 x 176 mm, cap: red, TRBA 250, UN 3291, DIN EN ISO 23907, 94 piece(s)/carton

Satisfies the requirement: **TRBA 250, UN 3291, DIN EN ISO 23907**
Max. volume: **1500 ml**

**Disposal container, Multi-Safe twin plus REC, 500 ml, biohazard labelling****77.3884.305**

Disposal container, Multi-Safe twin plus REC, 500 ml, grey, with plastic label, label/print: yellow/red, biohazard labelling, material: recycled PP, application e.g.: disposal of pointed and sharp objects, opening: round, height: 245 mm, Ø of cap: 82 mm, cap: red, TRBA 250, UN 3291, DIN EN ISO 23907, 126 piece(s)/carton

Satisfies the requirement: **TRBA 250, UN 3291, DIN EN ISO 23907**
Max. volume: **500 ml**

**Disposal container, Multi-Safe twin plus, 2,500 ml, biohazard labelling****77.3884.125**

Disposal container, Multi-Safe twin plus, 2,500 ml, yellow, with plastic label, label/print: yellow/red, biohazard labelling, material: PP, application e.g.: disposal of pointed and sharp objects, opening: oval, height: 197 mm, lid (LxW): 179 x 176 mm, cap: red, TRBA 250, UN 3291, DIN EN ISO 23907, 70 piece(s)/carton

Satisfies the requirement: **TRBA 250, UN 3291, DIN EN ISO 23907**
Max. volume: **2500 ml**

**Disposal container, Multi-Safe twin plus, 1,500 ml****77.3884.015**

Disposal container, Multi-Safe twin plus, 1,500 ml, yellow, with plastic label, label/print: yellow/red, material: PP, application e.g.: disposal of pointed and sharp objects, opening: oval, height: 125 mm, lid (LxW): 179 x 176 mm, cap: red, TRBA 250, UN 3291, DIN EN ISO 23907, 94 piece(s)/carton

Satisfies the requirement: **TRBA 250, UN 3291, DIN EN ISO 23907**
Max. volume: **1500 ml**

**Disposal container, Multi-Safe twin plus REC, 5,000 ml****77.3884.250**

Disposal container, Multi-Safe twin plus REC, 5,000 ml, grey, with plastic label, label/print: yellow/red, material: recycled PP, application e.g.: disposal of pointed and sharp objects, opening: oval, height: 379 mm, lid (LxW): 179 x 176 mm, cap: red, TRBA 250, UN 3291, DIN EN ISO 23907, 34 piece(s)/carton

Satisfies the requirement: **TRBA 250, UN 3291, DIN EN ISO 23907**
Max. volume: **5000 ml**



Disposal container, Multi-Safe twin plus REC, 3,000 ml, biohazard labelling **77.3884.330**

Disposal container, Multi-Safe twin plus REC, 3,000 ml, grey, with plastic label, label/print: yellow/red, biohazard labelling, material: recycled PP, application e.g.: disposal of pointed and sharp objects, opening: oval, height: 233 mm, lid (LxW): 179 x 176 mm, cap: red, TRBA 250, UN 3291, DIN EN ISO 23907, 62 piece(s)/carton

Satisfies the requirement: **TRBA 250, UN 3291, DIN EN ISO 23907**
Max. volume: **3000 ml**



Disposal container, Multi-Safe euroMatic®, 7,000 ml, biohazard labelling **77.3897.270**

Disposal container, Multi-Safe euroMatic®, 7,000 ml, yellow, with plastic label, label/print: yellow/red, biohazard labelling, material: PP, opening: oval, height: 390 mm, flat cap, lid (LxW): 164 x 164 mm, cap: red, TRBA 250, UN 3291, DIN EN ISO 23907, 34 piece(s)/carton

Satisfies the requirement: **TRBA 250, UN 3291, DIN EN ISO 23907**
Max. volume: **7000 ml**



Disposal container, Multi-Safe twin plus, 5,000 ml **77.3884.050**

Disposal container, Multi-Safe twin plus, 5,000 ml, yellow, with plastic label, label/print: yellow/red, material: PP, application e.g.: disposal of pointed and sharp objects, opening: oval, height: 379 mm, lid (LxW): 179 x 176 mm, cap: red, TRBA 250, UN 3291, DIN EN ISO 23907, 34 piece(s)/carton

Satisfies the requirement: **TRBA 250, UN 3291, DIN EN ISO 23907**
Max. volume: **5000 ml**



Disposal container, Multi-Safe medi, 11 l **77.3898.511**

Disposal container, Multi-Safe medi, 11 l, yellow, round, material: PP, opening: round, height: 220 mm, flat cap, Ø of cap: 290 mm, cap: red, TRBA 250, DIN EN ISO 23907, 10 piece(s)/carton

Satisfies the requirement: **TRBA 250, DIN EN ISO 23907**
Max. volume: **11 l**



Disposal container, Multi-Safe twin plus REC, 2,000 ml **77.3884.220**

Disposal container, Multi-Safe twin plus REC, 2,000 ml, grey, with plastic label, label/print: yellow/red, material: recycled PP, application e.g.: disposal of pointed and sharp objects, opening: oval, height: 161 mm, lid (LxW): 179 x 176 mm, cap: red, TRBA 250, UN 3291, DIN EN ISO 23907, 80 piece(s)/carton

Satisfies the requirement: **TRBA 250, UN 3291, DIN EN ISO 23907**
Max. volume: **2000 ml**

**Disposal container, Multi-Safe euroMatic® , 3,000 ml****77.3897.030**

Disposal container, Multi-Safe euroMatic®, 3,000 ml, yellow, square, with plastic label, label/print: yellow/red, material: PP, opening: oval, height: 185 mm, Automatic lock, lid (LxW): 164 x 164 mm, cap: red, TRBA 250, UN 3291, DIN EN ISO 23907, 55 piece(s)/carton

Satisfies the requirement: TRBA 250, UN 3291, DIN EN ISO 23907
Max. volume: 3000 ml

**Disposal container, Multi-Safe euroMatic® , 4,000 ml****77.3897.040**

Disposal container, Multi-Safe euroMatic®, 4,000 ml, yellow, square, with plastic label, label/print: yellow/red, material: PP, opening: oval, height: 245 mm, Automatic lock, lid (LxW): 164 x 164 mm, cap: red, TRBA 250, UN 3291, DIN EN ISO 23907, 50 piece(s)/carton

Satisfies the requirement: TRBA 250, UN 3291, DIN EN ISO 23907
Max. volume: 4000 ml

**Disposal container, Multi-Safe euroMatic® , 6,000 ml****77.3897.060**

Disposal container, Multi-Safe euroMatic®, 6,000 ml, yellow, square, with plastic label, label/print: yellow/red, material: PP, opening: oval, height: 330 mm, Automatic lock, lid (LxW): 164 x 164 mm, cap: red, TRBA 250, UN 3291, DIN EN ISO 23907, 40 piece(s)/carton

Satisfies the requirement: TRBA 250, UN 3291, DIN EN ISO 23907
Max. volume: 6000 ml

**Disposal container, Multi-Safe euroMatic® , 7,000 ml****77.3897.070**

Disposal container, Multi-Safe euroMatic®, 7,000 ml, yellow, square, with plastic label, label/print: yellow/red, material: PP, opening: oval, height: 390 mm, Automatic lock, lid (LxW): 164 x 164 mm, cap: red, TRBA 250, UN 3291, DIN EN ISO 23907, 34 piece(s)/carton

Satisfies the requirement: TRBA 250, UN 3291, DIN EN ISO 23907
Max. volume: 7000 ml

**Disposal container, Multi-Safe sani, 200 ml****77.3890.002**

Disposal container, Multi-Safe sani, 200 ml, yellow, material: PP, opening: oval, height: 131 mm, flat cap, lid (LxW): 75 x 47 mm, cap: red, TRBA 250, UN 3291, DIN EN ISO 23907, 110 piece(s)/carton

Satisfies the requirement: TRBA 250, UN 3291, DIN EN ISO 23907
Max. volume: 200 ml

**Disposal container, Multi-Safe mini, 300 ml****77.3890.003**

Disposal container, Multi-Safe mini, 300 ml, yellow, material: PP, opening: round, height: 160 mm, flat cap, lid (LxW): 81 x 45 mm, cap: red, TRBA 250, UN 3291, DIN EN ISO 23907, 135 piece(s)/carton

Satisfies the requirement: **TRBA 250, UN 3291, DIN EN ISO 23907**
Max. volume: **300 ml**

**Disposal container, Multi-Safe medi, 6 l****77.3898.006**

Disposal container, Multi-Safe medi, 6 l, yellow, round, material: PP, opening: round, height: 195 mm, flat cap, Ø of cap: 230 mm, cap: red, TRBA 250, UN 3291, DIN EN ISO 23907, 480 piece(s)/carton

Satisfies the requirement: **TRBA 250, UN 3291, DIN EN ISO 23907**
Max. volume: **6 l**

**Disposal container, Multi-Safe medi, 6 l****77.3898.106**

Disposal container, Multi-Safe medi, 6 l, yellow, round, material: PP, with assembled bracket, opening: round, height: 195 mm, flat cap, Ø of cap: 230 mm, cap: red, TRBA 250, UN 3291, DIN EN ISO 23907, 480 piece(s)/carton

Satisfies the requirement: **TRBA 250, UN 3291, DIN EN ISO 23907**
Max. volume: **6 l**

**Disposal container, Multi-Safe medi, 6 l****77.3898.206**

Disposal container, Multi-Safe medi, 6 l, yellow, round, with plastic label, label/print: black, material: PP, with assembled bracket, opening: round, height: 195 mm, flat cap, Ø of cap: 230 mm, cap: red, TRBA 250, UN 3291, DIN EN ISO 23907, 21 piece(s)/carton

Satisfies the requirement: **TRBA 250, UN 3291, DIN EN ISO 23907**
Max. volume: **6 l**

**Disposal container, Multi-Safe medi, 11 l****77.3898.011**

Disposal container, Multi-Safe medi, 11 l, yellow, round, material: PP, opening: round, height: 220 mm, flat cap, Ø of cap: 290 mm, cap: red, TRBA 250, DIN EN ISO 23907, 250 piece(s)/carton

Satisfies the requirement: **TRBA 250, DIN EN ISO 23907**
Max. volume: **11 l**

**Disposal container, Multi-Safe medi, 11 l****77.3898.111**

Disposal container, Multi-Safe medi, 11 l, yellow, round, material: PP, with assembled bracket, opening: round, height: 220 mm, flat cap, Ø of cap: 290 mm, cap: red, TRBA 250, DIN EN ISO 23907, 250 piece(s)/carton

Satisfies the requirement: **TRBA 250, DIN EN ISO 23907**
Max. volume: **11 l**

**Disposal container, Multi-Safe steri, 35 l****77.3899.035**

Disposal container, Multi-Safe steri, 35 l, yellow, square, material: PP, autoclavable, opening: square, height: 330 mm, flat cap, Cover with seal, lid (LxW): 393 x 393 mm, cap: red, UN 3291, 150 piece(s)/carton

Satisfies the requirement: **UN 3291**
Max. volume: **35 l**

**Disposal container, Multi-Safe steri, 60 l****77.3899.060**

Disposal container, Multi-Safe steri, 60 l, yellow, square, material: PP, autoclavable, opening: square, height: 520 mm, flat cap, lid (LxW): 393 x 393 mm, cap: red, UN 3291, 120 piece(s)/carton

Satisfies the requirement: **UN 3291**
Max. volume: **60 l**

**Disposal container, Multi-Safe eco 25, 25 l****77.3899.025**

Disposal container, Multi-Safe eco 25, 25 l, yellow, square, material: PP, opening: square, height: 260 mm, flat cap, Cover with seal, lid (LxW): 395 x 295 mm, cap: yellow, UN 3291, 160 piece(s)/carton

Satisfies the requirement: **UN 3291**
Max. volume: **25 l**

**Disposal container, Multi-Safe eco 50, 50 l****77.3899.050**

Disposal container, Multi-Safe eco 50, 50 l, yellow, square, material: PP, opening: square, height: 500 mm, flat cap, lid (LxW): 395 x 295 mm, cap: yellow, UN 3291, 125 piece(s)/carton

Satisfies the requirement: **UN 3291**
Max. volume: **50 l**



Disposal container, Multi-Safe 25, 25 l

77.3899.125

Disposal container, Multi-Safe 25, 25 l, yellow, square, material: PP, opening: square, height: 260 mm, Day closure, Cover with seal, lid (LxW): 395 x 295 mm, cap: yellow, UN 3291, 1 piece(s)/carton

Satisfies the requirement: UN 3291
Max. volume: 25 l



Disposal container, Multi-Safe 50, 50 l

77.3899.150

Disposal container, Multi-Safe 50, 50 l, yellow, square, material: PP, opening: square, height: 500 mm, Day closure, Cover with seal, lid (LxW): 395 x 295 mm, cap: yellow, UN 3291, 125 piece(s)/carton

Satisfies the requirement: UN 3291
Max. volume: 50 l



Disposal container, 2 l

77.1515

Disposal container, 2 l, transparent, label/print: yellow/black, material: PP, opening: round, height: 245 mm, flat cap, Ø of cap: 82 mm, cap: yellow, 30 piece(s)/carton

Max. volume: 2 l



Adhesive label, (LxW): 80 x 70 mm, PE, transparent

84.1390.022

Adhesive label, (LxW): 80 x 70 mm, material: PE, transparent, "Do not fill above this line/DANGER CAUTION", print: red/black, for Multi-Safe disposal boxes, 2,000 piece(s)/roll



Dispenser box

95.813.001

Dispenser box, material: PS, lid assembled



Absorbent liner, suitable for cold transport container, (LxW): 80 x 55 mm 78.671

Absorbent liner, suitable for cold transport container, (LxW): 80 x 55 mm, 100 piece(s)/case

Application: Mailing of samples, Multi-Safe disposal boxes



Absorbent liner, suitable for mailing container 84 x 30 mm, (LxW): 75 x 65 mm


Absorbent liner, suitable for mailing container 84 x 30 mm, (LxW): 75 x 65 mm, **78.684**
100 piece(s)/case

Application: Mailing of samples, Multi-Safe disposal boxes



Round tube holder for round tubes and combinable with wall holder euroMatic® (95.963.001), wall holder twin plus (95.963.007) and wall holder vario 2000 (95.963.020) 95.963.006

Round tube holder, for round tubes and combinable with wall holder euroMatic® (95.963.001), wall holder twin plus (95.963.007) and wall holder vario 2000 (95.963.020), material: POM, (LxWxH): 130 x 40 x 88 mm



Wall holder for Multi-Safe vario 2000

95.963.020


Wall holder, for Multi-Safe vario 2000



Absorbent liner, suitable for Mailing container 114 x 44 mm, (LxW): 135 x 95 mm

Absorbent liner, suitable for Mailing container 114 x 44 mm, (LxW): 135 x 95 mm, 100 piece(s)/case **78.669**


Application: Mailing of samples, Multi-Safe disposal boxes



Fastening plate for Dräger rail system and combinable with euroMatic wall holder® (95.963.001), vario 2000 wall holder (95.963.020) and twin plus wall holder (95.963.007) 95.963.005

Fastening plate, for Dräger rail system and combinable with euroMatic wall holder® (95.963.001), vario 2000 wall holder (95.963.020) and twin plus wall holder (95.963.007), material: stainless steel, (LxWxH): 130 x 15 x 79 mm

Application: For attachment to system bed rails in combination with wall holder euroMatic® (95.963.001), wall holder vario 2000 (95.963.020) and wall holder twin plus (95.963.007)



Wall holder for Multi-Safe twin plus 95.963.007

Wall holder, for Multi-Safe twin plus, material: stainless steel



Absorbent liner, suitable for Mailing container 126 x 30 mm, (LxW): 75 x 90 mm 78.670

Absorbent liner, suitable for Mailing container 126 x 30 mm, (LxW): 75 x 90 mm, 1,000 piece(s)/case

Application: Mailing of samples, Multi-Safe disposal boxes




Wall holder for Multi-Safe euroMatic® 95.963.001

Wall holder, for Multi-Safe euroMatic®, material: stainless steel



Adhesive adapter for Multi-Safe twin plus, euroMatic® 95.965.001

Adhesive adapter, for Multi-Safe twin plus, euroMatic®, material: PP, Ø: 54 mm



Wall holder for Multi-Safe twin plus

95.963

Wall holder, for Multi-Safe twin plus, with adhesive/flat adapter assembled, material: stainless steel

Design: adhesive/flat adapter assembled



Safety tray, without insertion plate

93.1650

Safety tray, without insertion plate, material: PP, (LxWxH): 429 x 283 x 80 mm, 1 piece(s)/case

Design: without insertion plate



Insertion plate, Version 1

93.1650.010

Insertion plate, Version 1, material: PP, 1 piece(s)/case



Insertion plate, Version 2

93.1650.020

Insertion plate, Version 2, material: PP, 1 piece(s)/case



Insertion plate, Version 3

93.1650.030

Insertion plate, Version 3, material: PP, 1 piece(s)/case



Insertion plate, Version 4

93.1650.040

Insertion plate, Version 4, material: PP, 1 piece(s)/case



Insertion plate, Version 5

93.1650.050

Insertion plate, Version 5, material: PP, 1 piece(s)/case

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: syd@nt-rt.ru || сайт: <https://sarstedt.nt-rt.ru/>